

AquaPro Matting Agent 110

MSDS

<Material Safety Data Sheet> 2018-03-01

1. Identification of Product and Company

Product name: AquaPro Matting Agent 110

Chemical nature: Water base product

Supplier: Yip's Camel (Hong Kong) Limited

Address: 27/F., Fortis Tower, 77 – 79 Gloucester Road, Wanchai, Hong Kong.

Postal code: N.A.

Emergency telephone no.: (852) 2675 2333

2. Hazards Identification

D.G. Classification: Non-dangerous goods
Routes of entry: Ingestion & skin contact
Physical hazards: Ingestion: may be harmful

To the environment: Maybe contaminate the water source Explosive limit: Non-flammable & non-explosive

3. Composition on Ingredients

Material Content CAS No. 5-Chloro-2-Methyl-4-Isothiazolin-3-one <0.1% 26172-55-4 Silicon dioxide (chemically prepared) < 4% 112945-52-5

4. First Aid Measures

Ingestion: Drink plenty of water, seek medical attention and treat symptomatically. Do not

give anything by mouth to an unconscious person.

Skin contact: Remove contaminated clothing and wash with soap and water. Such as persistent

skin irritation, seek medical care.

Eye contact: Irrigate with water for 15 minutes. Seek medical advice if irritation persists.

Inhalation: N/A

5. Fire Fighting Measures

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide

Extinguishing Media: Non-flammable (aqueous system). Use carbon dioxide or

dry chemical for small fires. Use universal-type foam or

water for large fires.

Special Fire Fighting Procedure: Use self-contained breathing apparatus and protective

clothing.

Unusual Fire and Explosion Hazards: None, product will not burn.

6. Accidental Release Measures

Steps to be taken if material is Use sand or mud to absorb and move material to a safe

released or spilled: place to wait for disposal.

Waste disposal method: Utilize authorized centres for disposal of waste chemical

in accordance with local regulations.

7. Handling and Storage

Handling: Safety glasses and protective gloves are recommended, ventilation

is expected to be satisfactory.

Storage: Keep the container tightly closed in a cool and well ventilated place

(above 4° C, do not freeze).

page 1/3



電郵 Email: info@camel.com.hk 網址 Website: http://www.camel.com.hk



8. **Exposure Controls/ Personal Protection**

TLVs: Not available

Monitoring method: Detect the vapour by gas chromatography

Engineering control: Provide adequate ventilation

Respiratory protection: None should be required under normal ventilation

Protective gloves: Rubber Eye protection: Safety goggles Body protection: Protective clothing

Other protective Equipment: Safety shower, eye bath and apron

9. **Physical and Chemical Properties**

Boiling Point, 760 mm. Hg: ~100°C Freezing Point: < 0°C Solubility in water: Dilutable

Appearance and Odor: Coloured viscous liquid; characteristic odor.

Flash point: Not applicable (water based) Auto-ignition temperature: Not applicable (water based)

Depends on colour Density:

Stability and Reactivity 10.

Stability Stability: Conditions to avoid: Heat, sunlight

Hazardous Decomposition None when used under normal

conditions **Products:** Hazardous polymerization: Will not occur

11. **Toxicology Information**

Acute toxicity: Not available Irritation: Not available

Ecology Information 12.

Ecotoxicity: Not available Biodegradation: Not available Non-biodegradation: Not available

13. Disposal Consideration

Disposal method: Utilize authorized centres for disposal of waste chemical in

accordance with local regulations.

Transport Information 14.

UN number:

Package classification: Not available

Risk label: Non-dangerous goods Other information: Handle with care.

> Avoid damage of container. Keep away from direct sunlight.

> > page 2/3





15. Regulatory Information

National regulation: < Regulations on the Control Over Safety of Dangerous Chemicals>

> (Decree No.591 of the State Council of the People's Republic of China, Issued by State Council on 16th Feb 2011) governs the production, application, storage, transportation and handling of

dangerous chemicals.

Air Pollution Control (Volatile Organic Compounds) Regulation of

Hong Kong

According to "Classification and Labels of Dangerous Chemical Substances Commonly Used" (GB 13690-2009), this product is classified as Class 3.2 flammable liquid. "Regulation of Dangerous Chemical Substances Safety Managements" (1987-2-17), "The Health Standard in the Air of Workplace" are used to related regulations for dangerous goods in terms of application, production,

storage, transportation and loading/unloading.

(Please refer to 'Product Specification' for further information).

Other regulation: Not available

16. Other Information

Date of preparation: 2018/03/01

Reference: GB/T 14683-2008

Date check dept: R&D

Note: The information contained herein is based on our present state of

> knowledge and is to characterize our product properties only. We do, however, update the content to meet the actual situation but

without prior notice.

