

## Camel Professional Water Sealer - S200

Camel Professional Water Sealer - S200 Identification Product name

**Product** Chemical Water based product

Company nature

> Relevant Suitable for decoration and protection of interior walls

identified uses

Supplier Yip's Camel (Hong Kong) Limited

**Address** 27/F., Fortis Tower, 77 – 79 Gloucester Road, Wanchai, Hong

Kong.

Postal code Not applicable (852) 2675 3333 Emergency

telephone no.

2. Hazards GHS Not classified according to GHS hazard

Identification class

> GHS code and Not applicable

hazard

statements

Signal word Not applicable

Routes of entry Inhalation, ingestion & skin contact

Health hazards According to the past experience and existing information, there

is no health hazards under normal use and appropriate

preventive measures. Please refer to the safety data sheet before

Content %

CAS no.

use.

Environment Not available

hazards

**Explosive** Not available

hazards

Composition

13463-67-7; Titanium dioxide < 25% on Ingredients Alcohol ester < 2% 25265-77-4; ; < 0.2%

Methylisothiazolinone 267172-55-4

Material

4. First Drink plenty of water, seek medical attention and treat Ingestion symptomatically. Do not give anything by mouth to an Measures

unconscious person.

Skin contact Remove contaminated clothing and wash with soap and water.

If persistent skin irritation, seek medical care.

Eye contact Irrigate with water for 15 minutes. Seek medical advice if

irritation persists.

Inhalation Move to fresh air, keep patient warm and at rest. If unconscious,

> put the patient in a resuscitation position and seek medical help. 香港灣仔告士打道77-79號富通大廈27樓 ■ ② @camelhongkong

Composition









#### Camel Professional Water Sealer - S200

5.	Fire	Fighting	Extinguishing
Measures			media
			Special hazard:
			arising from the
			substance
			Hazardous
			thermal

Carbon monoxide, carbon dioxide and other toxic vapours will produced at high temperature. Move the containers from the fire area to an open area as much as possible. Cool closed

Use an extinguishing agent suitable for the surrounding fire.

containers exposed to fire with water mist until the fire is over. Isolate the accident scene and prohibit unrelated persons from entering. Do not release runoff from fire to drains or

watercourses.

Decomposition products may include the following materials: carbon monoxide and carbon dioxide.

decomposition products

Advice

Use self-contained breathing apparatus and protective clothing.

Wear appropriate protective clothing and protective gloves.

Accidental 6. **Release Measures** 

Personal precautions,

firefighters

Avoid direct contact of spilled material.

protective equipment and emergency procedures

Environmental

precautions Methods and

material for containment and cleaning up

Stop leak. Do not allow to enter drains or watercourses.

Contain and collect spillage with non-combustible, absorbent material and place in a closed container for disposal. Do not allow to enter drains or watercourses. Utilize authorized centres for disposal of waste chemical in accordance with local regulations.

7. Handling and Storage

Precautions for safe handling

Safety glasses and protective gloves are recommended, ventilation is expected to be satisfactory. Avoid contact with skin and eyes. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe

storage

Keep the container tightly closed in a cool and well ventilated







#### Camel Professional Water Sealer - S200

8. **Exposure** TLVs Material TLV-TWA Controls/ Titanium dioxide  $8 \text{ mg/m}^3$ 

Personal Monitoring method For advice on suitable monitoring methods, please seek

Protection guidance from a qualified occupational health professional.

> For the sampling method of this substance, please refer to "GBZ159 Hazardous Substance Monitoring Sampling Specification". The product is in liquid state and does not

involve dust hazards.

Engineering Avoid breathing vapour or mist. Keep well ventilation.

control

Respiratory Use respiratory protective equipment if necessary.

protection

Protective gloves Use appropriate gloves

Eye protection Safety goggles Body protection Protective clothing Other protective Eye bath and apron

Equipment

9. Physical and **Appearance** Coloured viscous liquid; characteristic odor. and

Chemical Odor

**Properties** 8 - 10 рΗ

> Freezing Point < 0°C

Evaporation rate Not available

Depends on colour Specific gravity Flash point Not applicable Upper/lower Not applicable

flammability or

explosive limits

Auto-ignition Not applicable

temperature

Solubility in water Soluble in water Partition Not applicable

coefficient: octanol/water

Stability Stable under normal conditions

Reactivity Possibility Not available of

> hazardous reactions

Conditions to avoid Heat, direct sunlight

Incompatible Keep away from oxidising agents, strong alkalis or strong

葉氏駱院(香港)有限公司 香港灣仔告士打道77-79號富通大廈27樓 www.camel.com.hk 

10. Stability and



Hazardous

None when used under normal conditions

decomposition

products

# Safety Data Sheet

### Camel Professional Water Sealer - S200

11. Toxicological

Acute toxicity

Not available

Information

Irritation

Not available

12. Ecological

Ecotoxicity

Not available

Information

Persistence and Not available

degradability

Bioaccumulative

Not available

potential

Mobility in soil

Not available

Biodegradation

Not available

Non-biodegradation:

Not available

13. Disposal Disposal method

Utilize authorized centres for disposal of waste chemical in

accordance with local regulations.

Consideration

14. Transport

**UN** number

Not regulated

Information

**UN** proper shipping

Not applicable

name

Transport hazard

class(es)

Not applicable

Packing group

Not applicable

Environmental

hazards

No

Marine pollutant

IMDG classification

Not regulated

GB 6944/12268

Not regulated

Special precautions

for user

Do not mix with oxidizing agents or edible chemicals. Handle with care. Avoid damage of container. Keep away from direct

sunlight, rain or high temperature.





### Camel Professional Water Sealer - S200

15. Regulatory National Information regulation

- «Regulations on the Control Over Safety of Dangerous Chemicals》(Decree No.591 of the State Council of the People's Republic of China, Issued by State Council on 16th Feb 2011) governs the production, application, storage, transportation and handling of dangerous chemicals.
- 《 Measures for The Administration of Registration of Hazardous Chemicals》 (Decree No.53 of The State Administration of production safety supervision and management)
- 《Regulations on Safety in the use of Chemicals》(by The Ministry of Labour [1996] No.423)
- «The production safety law of the People's Republic of China》(The 2011 amendment)
- 《Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution》
- 《Environmental Protection Law of the People's Republic of China》
- 《Rule for storage of chemical dangers》 (GB 15603- 1995)
- 《Occupational exposure limits for hazardous agents in the workplace Part 1: Chemical hazardous agents》(GBZ 2.1-2007)
- 《 General Rule for classification and hazard communication of chemicals GB 13690-2009
- 《General rules for preparation of precautionary label for chemicals》 GB 15258-2009
- 《Classification and code of dangerous goods》(GB 6944-2012)
- 《List of dangerous goods》(GB 12268-2012)

Other regulation

Not available

16.

Other

Date of preparation

9 April, 2024

Information

Preparation

Technical service department



Amendment : According to the "General rules for preparation of chemical

safety data sheet" (GB16483-2000)

Note : The information contained herein is based on our present

state of knowledge and is to characterize our product properties only. We do, however, update the content to meet

the actual situation but without prior notice.

