

Camel Professional Interior Emulsion 3 Years Anti-Mould Ultra White - CCW

1. Identification of Product name Camel Professional Interior Emulsion 3 Years Anti-Mould Ultra

& **Product**

White - CCW

Company

Chemical nature Water based product

Relevant

Supplier

Suitable for decoration and protection of interior walls

identified uses

Yip's Camel (Hong Kong) Limited

Address 27/F., Fortis Tower, 77 – 79 Gloucester Road, Wanchai, Hong Kong.

Postal code Not applicable Emergency (852) 2675 3333

telephone no.

2. Hazards GHS hazard Not classified according to GHS

Identification class

> GHS code and Not applicable

hazard statements

Signal word Not applicable

Routes of entry Inhalation, ingestion & skin contact

Health hazards According to the past experience and existing information, there is

no health hazards under normal use and appropriate preventive

measures. Please refer to the safety data sheet before use.

Environment

Not available

hazards

Not available Explosive

hazards

3. Composition on

Ingredients

Composition Material Content % CAS no. Titanium dioxide < 25% 13463-67-7;

> Alcohol ester < 2% 25265-77-4; 267172-55-4 Methylisothiazolinone < 0.2%

First Ingestion Drink plenty of water, seek medical attention and treat

Measures

symptomatically. Do not give anything by mouth to an unconscious

person.

Skin contact Remove contaminated clothing and wash with soap and water. If

persistent skin irritation, seek medical care.

Eye contact Irrigate with water for 15 minutes. Seek medical advice if irritation

persists.

Inhalation Move to fresh air, keep patient warm and at rest. If unconscious, put

the patient in a resuscitation position and seek medical help.





Camel Professional Interior Emulsion 3 Years Anti-Mould Ultra White - CCW

Fighting 5. Fire Measures

Extinguishing

media

Special hazards

arising from the

substance

Use an extinguishing agent suitable for the surrounding fire.

Carbon monoxide, carbon dioxide and other toxic vapours will produced at high temperature. Move the containers from the fire area to an open area as much as possible. Cool closed containers exposed to fire with water mist until the fire is over. Isolate the

accident scene and prohibit unrelated persons from entering. Do

Decomposition products may include the following materials:

not release runoff from fire to drains or watercourses.

carbon monoxide and carbon dioxide.

Hazardous

thermal

products

Advice for

decomposition

Use self-contained breathing apparatus and protective clothing.

firefighters

6. Accidental Release Measures

Personal

precautions,

protective

equipment and

emergency

procedures

Environmental

precautions

containment and

Wear appropriate protective clothing and protective gloves. Avoid

direct contact of spilled material.

Stop leak. Do not allow to enter drains or watercourses.

Methods and material for

cleaning up

Contain and collect spillage with non-combustible, absorbent material and place in a closed container for disposal. Do not allow to enter drains or watercourses. Utilize authorized centres for disposal of waste chemical in accordance with local regulations.

7. Handling and

Storage

Precautions for safe

handling

Safety glasses and protective gloves are recommended, ventilation is expected to be satisfactory. Avoid contact with skin and eyes. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe

storage

Keep the container tightly closed in a cool and well ventilated

place.





Camel Professional Interior Emulsion 3 Years Anti-Mould Ultra White - CCW

8. **Exposure TLVs** TLV-TWA Material Controls/ Personal Titanium dioxide 8 mg/m³

Protection Monitoring method For advice on suitable monitoring methods, please seek

> guidance from a qualified occupational health professional. For the sampling method of this substance, please refer to "GBZ159 Hazardous Substance Monitoring Sampling Specification". The product is in liquid state and does not involve dust hazards.

Engineering control Avoid breathing vapour or mist. Keep well ventilation. Respiratory Use respiratory protective equipment if necessary.

protection

Protective gloves Use appropriate gloves

Eye protection Safety goggles Body protection Protective clothing Other protective Eye bath and apron

Equipment

Physical Appearance and Coloured viscous liquid; characteristic odor.

Chemical Odor

8 - 10 **Properties** рΗ

> < 0°C Freezing Point

Evaporation rate Not available

Specific gravity Depends on colour Flash point Not applicable Upper/lower Not applicable

flammability

explosive limits

Auto-ignition Not applicable

temperature

Solubility in water Soluble in water Partition coefficient: Not applicable

n-octanol/ water

10. Stability and Stability Stable under normal conditions

Reactivity Possibility of Not available

> hazardous reactions

Conditions to avoid Heat, direct sunlight

Incompatible Keep away from oxidising agents, strong alkalis or strong acids.

materials

Hazardous None when used under normal conditions

decomposition

products





Camel Professional Interior Emulsion 3 Years Anti-Mould Ultra White - CCW

11. **Toxicological** Acute toxicity Not available Not available Information Irritation

12. Not available **Ecological Ecotoxicity** Information Persistence Not available

degradability

Bioaccumulative Not available

potential

Mobility in soil Not available Not available Biodegradation Not available Non-biodegradation

13. Disposal method Utilize authorized centres for disposal of waste chemical in Disposal

Consideration accordance with local regulations.

14. Transport **UN** number Not regulated

Information

UN proper shipping Not applicable

name

Transport Not applicable

class(es)

Packing group Not applicable

Environmental No

hazards

Marine pollutant

IMDG classification Not regulated GB 6944/12268 Not regulated

Special precautions

Do not mix with oxidizing agents or edible chemicals. Handle with for user

care. Avoid damage of container. Keep away from direct

sunlight, rain or high temperature.





Camel Professional Interior Emulsion 3 Years Anti-Mould Ultra White - CCW

15. Regulatory National regulation **Information**

- 《 Regulations on the Control Over Safety of Dangerous Chemicals》 (Decree No.591 of the State Council of the People's Republic of China, Issued by State Council on 16th Feb 2011) governs the production, application, storage, transportation and handling of dangerous chemicals.
- « Measures for The Administration of Registration of Hazardous Chemicals » (Decree No.53 of The State Administration of production safety supervision and management)
- 《Regulations on Safety in the use of Chemicals》 (by The Ministry of Labour [1996] No.423)
- « The production safety law of the People's Republic of China » (The 2011 amendment)
- 《Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution》
- 《Environmental Protection Law of the People's Republic of China》
- 《Rule for storage of chemical dangers》 (GB 15603- 1995)
- «Occupational exposure limits for hazardous agents in the workplace Part 1: Chemical hazardous agents» (GBZ 2.1-2007)
- 《General Rule for classification and hazard communication of chemicals》GB 13690-2009
- 《 General rules for preparation of precautionary label for chemicals》 GB 15258-2009
- 《Classification and code of dangerous goods》(GB 6944-2012)
- 《List of dangerous goods》(GB 12268-2012)

Other regulation : Not available

16. Other Date of preparation : 9 November, 2022

Information Preparation : Technical service department

department

Amendment : According to the "General rules for preparation of chemical

safety data sheet" (GB16483-2000)

Note : The information contained herein is based on our present state of knowledge and is to characterize our product properties only.

We do, however, update the content to meet the actual situation

but without prior notice.



YIP'S CAMEL (HONG KONG) LIMITED

27/F, Fortis Tower, 77–79 Gloucester Road, Wan Chai, Hong Kong

葉氏駱駝(香港)有限公司 香港灣仔告士打道77-79號富通大廈27樓