

Camel Interior & Exterior Wall Sealer - AX473

Water based product

1. Identification Product name : Camel Interior & Exterior Wall Sealer – AX473

of Product & Chemical

Company nature

Relevant : Suitable for decoration and protection of interior walls

identified uses

Supplier : Yip's Camel (Hong Kong) Limited

Address : 27/F., Fortis Tower, 77 - 79 Gloucester Road, Wanchai, Hong

Kong.

Postal code : Not applicable Emergency : (852) 2675 3333

telephone no.

2. Hazards GHS hazard : Not classified according to GHS

Identification class

GHS code and : Not applicable

hazard statements

Signal word : Not applicable

Routes of entry : Inhalation, ingestion & skin contact

 $\hbox{Health hazards} \qquad \hbox{:} \qquad \hbox{According to the past experience and existing information, there}$

is no health hazards under normal use and appropriate preventive $% \left(1\right) =\left(1\right) \left(1\right) \left($

measures. Please refer to the safety data sheet before use.

Environment :

Not available

hazards Explosive

plosive : Not available

hazards

3. Composition on
IngredientsComposition:
Material
Titanium dioxideContent %
< 25%CAS no.
13463-67-7 :

Alcohol ester < 2% 25265-77-4; : Methylisothiazolinone < 0.2% 267172-55-4

4. First Aid Ingestion : Drink plenty of water, seek medical attention and treat

Measures

symptomatically. Do not give anything by mouth to an

unconscious person.

Skin contact : Remove contaminated clothing and wash with soap and water.

If persistent skin irritation, seek medical care.

Eye contact : Irrigate with water for 15 minutes. Seek medical advice if

irritation persists.

Inhalation : Move to fresh air, keep patient warm and at rest. If unconscious,

put the patient in a resuscitation position and seek medical help.





Camel Interior & Exterior Wall Sealer - AX473

5.	Fire	Fighting
Measures		

Extinguishing media

substance

Use an extinguishing agent suitable for the surrounding fire.

Special hazards arising from the

Carbon monoxide, carbon dioxide and other toxic vapours will produced at high temperature. Move the containers from the fire area to an open area as much as possible. Cool closed containers exposed to fire with water mist until the fire is over. Isolate the accident scene and prohibit unrelated persons from entering. Do not release runoff from fire to drains or

watercourses.

Hazardous thermal

for

decomposition products

Advice

Decomposition products may include the following materials:

firefighters

Use self-contained breathing apparatus and protective clothing.

6. Accidental Release

Measures

Personal precautions. protective

equipment and emergency

procedures

Environmental precautions

Methods and material for containment and cleaning up

Wear appropriate protective clothing and protective gloves.

Avoid direct contact of spilled material.

carbon monoxide and carbon dioxide.

Stop leak. Do not allow to enter drains or watercourses.

Contain and collect spillage with non-combustible, absorbent material and place in a closed container for disposal. Do not allow to enter drains or watercourses. Utilize authorized centres for disposal of waste chemical in accordance with local regulations.

7. Handling and Storage

Precautions safe handling Safety glasses and protective gloves are recommended, ventilation is expected to be satisfactory. Avoid contact with skin and eyes. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe

storage

Keep the container tightly closed in a cool and well ventilated

place.





Camel Interior & Exterior Wall Sealer - AX473

8. Exposure TLVs Material Titanium dioxide

Controls/ Personal

Monitoring method

Protection

For advice on suitable monitoring methods, please seek

guidance from a qualified occupational health professional. For the sampling method of this substance, please refer to "GBZ159 Hazardous Substance Monitoring Sampling Specification". The product is in liquid state and does not

involve dust hazards.

Engineering control

Respiratory

Avoid breathing vapour or mist. Keep well ventilation.

Use respiratory protective equipment if necessary.

protection

Protective gloves

Use appropriate gloves

Eye protection Safety goggles Body protection Protective clothing Other protective Eye bath and apron

Equipment

Appearance

Coloured viscous liquid; characteristic odor.

Chemical Odor

9. Physical and

Properties

На

Freezing Point $< 0^{\circ}C$

and

Not available Evaporation rate Depends on colour Specific gravity Flash point Not applicable Not applicable

8 - 10

Upper/lower flammability or

explosive limits

Auto-ignition Not applicable

temperature

Solubility in water Soluble in water Partition Not applicable

coefficient: noctanol/ water

10. Stability and

Possibility

Stable under normal conditions

Reactivity

of

Not available

hazardous

Stability

reactions

Heat, direct sunlight

Conditions to avoid

Incompatible

Keep away from oxidising agents, strong alkalis or strong

materials

acids.

Hazardous

None when used under normal conditions

decomposition

products



Camel Interior & Exterior Wall Sealer - AX473

11. Toxicological

Information

Acute toxicity

Not available

Irritation

Not available

12. Ecological

Information

Ecotoxicity
Persistence and

Not available Not available

degradability

Bioaccumulative

potential

Mobility in soil Biodegradation Non-biodegradation Not available

Not available Not available Not available

13. Disposal

Consideration

Disposal method

Utilize authorized centres for disposal of waste chemical in

accordance with local regulations.

14. Transport UN number

Information

Not regulated

UN proper shipping

name

•

Not applicable

Transport hazard

class(es)

Not applicable

Packing group

Not applicable

Environmental

No

hazards

Marine pollutant

IMDG

Not regulated

classification

GB 6944/12268

Not regulated

Special precautions

for user

Do not mix with oxidizing agents or edible chemicals. Handle with care. Avoid damage of container. Keep away from direct

sunlight, rain or high temperature.





Camel Interior & Exterior Wall Sealer - AX473

15. Regulatory National regulation Information

- 《Regulations on the Control Over Safety of Dangerous Chemicals (Decree No.591 of the State Council of the People's Republic of China, Issued by State Council on 16th Feb 2011) governs the production, application, storage, transportation and handling of dangerous chemicals.
- 《 Measures for The Administration of Registration of Hazardous Chemicals » (Decree No.53 of The State Administration of production safety supervision and management)
- 《Regulations on Safety in the use of Chemicals》(by The Ministry of Labour [1996] No.423)
- «The production safety law of the People's Republic of China》 (The 2011 amendment)
- 《Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution》
- 《Environmental Protection Law of the People's Republic of China》
- 《Rule for storage of chemical dangers》 (GB 15603- 1995)
- «Occupational exposure limits for hazardous agents in the workplace Part 1: Chemical hazardous agents (GBZ 2.1-2007)
- 《 General Rule for classification and hazard communication of chemicals》 GB 13690-2009
- «General rules for preparation of precautionary label for chemicals》GB 15258-2009
- 《Classification and code of dangerous goods》(GB 6944-
- 《List of dangerous goods》 (GB 12268-2012)

Other regulation Not available

16. Information

Other Date of preparation

Preparation

department

Amendment

Note

11 November, 2022

Technical service department

According to the "General rules for preparation of chemical

safety data sheet" (GB16483-2000)

The information contained herein is based on our present state of knowledge and is to characterize our product

properties only. We do, however, update the content to meet

the actual situation but without prior notice.

