



MATERIAL SAFETY DATA SHEET

Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Full-Gloss) MA470 series /
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Semi-Gloss) MA474 series/
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Matt) MA476 series

Section 1 -- Identification of Product and Company

Product Name : Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Full-Gloss) MA470 series /
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Semi-Gloss) MA474 series /
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Matt) MA476 series

Chemical Nature : Latex base product

Supplier : Yip's Camel (Hong Kong) Limited

Address : 27/F., Fortis Tower, 77 – 79 Gloucester Road, Wanchai, Hong Kong.

Postal Code : N/A

Emergency Telephone No. : (852) 2675 2333

Section 2 -- Composition on Ingredients

Material : The product contains latex and is therefore non-flammable.

Information on Ingredients :

| | <u>Content</u> | <u>CAS No.</u> |
|---------------------------|----------------|----------------|
| Texanol | < 2% | 25265-77-4 |
| Isothiazolone derivatives | < 0.02% | 267172-55-4 |

Section 3 -- Hazards Identification

D.G. Classification : Non-dangerous goods

Routes of entry : Ingestion & skin contact

Physical hazards : Ingestion may be harmful

Environmental hazards : Maybe contaminate the water source

Explosive limit : Non-flammable & non-explosive

Section 4 -- First Aid Measures

Ingestion : Drink plenty of water, seek medical attention and treat symptomatically. Do not give anything by mouth to an unconscious person.

Skin contact : Remove contaminated clothing and wash with soap and water. Suppose skin irritation persists, seek medical care.

Eye contact : Irrigate with water for 15 minutes. Seek medical advice if irritation persists.

Inhalation : N/A

Section 5 -- Fire Fighting Measures

Hazardous : Carbon monoxide, carbon dioxide

Decomposition Products

Extinguishing Media : Non-flammable (aqueous system). Use carbon dioxide or dry chemical for small fires. Use universal-type foam or water for large fires.

Special Fire Fighting Procedure : Use self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards : None, product will not burn.

MATERIAL SAFETY DATA SHEET

Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Full-Gloss) MA470 series /
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Semi-Gloss) MA474 series/
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Matt) MA476 series

Section 6 -- Accidental Release Measures

- Steps to be taken if material is released or spilled : Use sand or mud to absorb and move material to a safe place to wait for disposal.
- Waste disposal method : Utilize authorized centres for disposal of waste chemical in accordance with local regulations.

Section 7 -- Handling and Storage

- Handling : Safety goggles and protective gloves are recommended, ventilation is expected to be satisfactory.
- Storage : Keep the container tightly closed in a cool and well ventilated place (above 4 °C, do not freeze).

Section 8 -- Exposure Controls / Personal Protection

- TLVs : Not available
- Monitoring method : Detect the vapour by gas chromatography
- Engineering control : Provide adequate ventilation
- Respiratory protection : None should be required under normal ventilation
- Protective gloves : Rubber
- Eye protection : Safety goggles
- Body protection : Protective clothing
- Other protective equipment : Eye bath and apron

Section 9 -- Physical and Chemical Properties

- Boiling point, 760 mm Hg : ~100 °C
- Freezing point : < 0 °C
- Solubility in water : Dilutable
- Appearance and odor : Coloured viscous liquid; characteristic odor.
- pH : 8 – 10
- Flash point : Not applicable (water based)
- Auto-ignition temperature : Not applicable (water based)
- Density : Depends on colour

Section 10 -- Stability and Reactivity

- Stability : Stability
- Conditions to avoid : Heat, sunlight
- Hazardous : None when used under normal conditions
- Decomposition Products
- Hazardous polymerization : Will not occur



MATERIAL SAFETY DATA SHEET

Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Full-Gloss) MA470 series /
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Semi-Gloss) MA474 series/
Camel Professional Exterior / Interior Wall Finish 3 Years Warranty (Matt) MA476 series

Section 11 -- Toxicology Information

Acute toxicity : Not available
Irritation : Not available

Section 12 -- Ecology Information

Ecotoxicity : Not available
Biodegradation : Not available
Non-biodegradation : Not available

Section 13 -- Disposal Consideration

Disposal method : Utilize authorized centres for disposal of waste chemical in accordance with local regulations.

Section 14 -- Transport Information

UN number : N/A (water based)
Package classification : Not available
Risk label : Non-dangerous goods
Other information : Handle with care.
Avoid damage of container.
Keep away from direct sunlight.

Section 15 -- Regulatory Information

National regulation : 化學危險物品安全管理條例 (Issued by State Council on 17 Feb 1987) governs the production, application, storage, transportation and handling of dangerous chemicals.
Other regulation : Not available

Section 16 -- Other Information

Date of preparation : 2018/03/26

The information contained herein are based on our present state of knowledge and are to characterize our product properties only. We do, however, update the content to meet the actual situation but without prior notice.